

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

ASB249
A3

COTTON VARIETIES PLANTED

1989 CROP



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

August 1989

USDA
NAT'L AGRIC LIB
2003 JUN 27 P

CONTENTS

<u>Table</u>		<u>Page</u>
Introduction		1
Leading Varieties.		1
1. Varieties by states and United States, crop of 1989.		2-3
Varieties planted by classing offices, crop of 1989:		
2. Abilene.		4
3. Altus.		4
4. Bakersfield.		5
5. Birmingham		5
6. Corpus Christi		6
7. El Centro.		6
8. El Paso.		7
9. Florence		7
10. Fresno		8
11. Greenwood.		8
12. Harlingen.		9
13. Hayti.		9
14. Lamesa		10
15. Little Rock.		10
16. Lubbock.		11
17. Macon.		11
18. Memphis.		12
19. Phoenix.		12
20. Rayville		13
21. Waco		13
22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1989		14
23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1989		14

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON DIVISION, MARKET NEWS BRANCH
4841 SUMMER AVENUE - MEMPHIS, TN 38122
Telephone 901-521-2931

Cotton Varieties Planted, United States
1989 Crop

Deltapine was the leading variety of upland cotton planted in the United States for the 1988-89 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Deltapine accounted for 32.5 percent of the U.S. acreage planted, up from 30.0 percent in 1988. Paymaster was the second most popular variety, accounting for 12 percent of the total acreage. Stoneville was the next most popular variety and accounted for 10.1 percent of the U.S. acreage. Acala was the fourth leading variety and made up 7 percent of the national acreage, followed by Tamcot at 6.8 percent and Germain's at 4.4 percent. Twenty varieties accounted for 1 percent or more of the U.S. acreage, up from 16 in 1988.

Deltapine was the leading variety of upland cotton planted in the U.S. for the 1989-90 season. This variety accounted for 32.5 percent of the national acreage. Deltapine was the leading variety planted in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina and Tennessee. Deltapine 50 and Acala 90 were the most popular strains, accounting for 14.7 and 9.1 percent of the U.S. acreage, respectively.

Paymaster was the second leading variety planted in 1989 and accounted for 12 percent of the U.S. acreage. Paymaster was the most popular variety planted in Texas and the second most favored variety planted in New Mexico. The leading strains were Paymaster 145 and HS 26, accounting for 6.7 and 4.9 percent of the U.S. acreage, respectively.

Stoneville was the next most popular variety and accounted for 10.1 percent of the U.S. acreage. Stoneville was the second most popular variety planted in Alabama, Arkansas, Louisiana, Mississippi, Missouri and Tennessee. Stoneville 825 and 506 were the predominant strains, accounting for 3.4 and 4.2 percent of the national acreage, respectively.

The fourth most popular variety planted in 1989 was Acala. This variety accounted for 7 percent of the U.S. acreage and was the leading variety planted in California and New Mexico and the second most favored in Arizona. Acala SJ-2 was the leading Acala strain, making up 4.1 percent of the national acreage.

The fifth most popular variety was Tamcot, accounting for 6.8 percent of the U.S. acreage. Tamcot was the second most favored variety planted in Texas. Tamcot SP-21 and CAB-CS were the most popular strains accounting for 2 percent of the 1988 acreage, each.

The sixth most prevalent variety planted was Germain's, which made up 4.4 percent of total U.S. acreage. This variety was the second most popular variety planted in California. Acala GC-510 was the leading Germain's strain and made up 3.7 percent of U. S. acreage.

Pima S-6 remained the leading strain of American Pima cotton planted in the United States for the 1989 crop. This was the sixth consecutive year Pima S-6 has been predominant and accounted for 98 percent of the total acreage planted this season. S-5, at 2 percent, made up the remainder of the 1988 American Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1989 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to specified varieties,
United States, 1985-1989

Year	Delta-		Pay-		Stone-		:	
	Acala	pine	Germain's	master	ville	Tamcot	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
1985	10.0	20.0	2.0	11.0	17.0	7.0	28.0	100.0
1986	7.0	27.0	4.0	11.0	16.0	7.0	25.0	100.0
1987	7.0	25.0	4.0	13.0	13.0	6.0	31.0	100.0
1988	6.9	30.0	4.6	13.8	10.7	6.0	28.0	100.0
1989	7.0	32.5	4.4	12.0	10.1	6.8	27.2	100.0

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1989

variety	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	ALL	UNITED STATES
															1/	2/
ACALA	1517 E-2	-	0.9	-	-	-	-	-	-	-	4.1	-	-	-	-	*
	1517-75	-	0.9	-	-	-	-	-	-	-	16.8	-	-	-	-	*
	1517-77	-	-	*	-	-	-	-	-	-	13.4	-	-	-	-	*
	1517-77BR	-	1.2	-	-	-	-	-	-	-	6.6	-	-	-	-	*
	1517-88	-	-	-	-	-	-	-	-	-	21.5	-	-	-	-	*
	1517-SR1	-	-	1.0	-	-	-	-	-	-	4.2	-	-	-	-	*
	1517-SR2	-	-	-	1.8	-	-	-	-	-	*	-	-	-	-	*
	C-1	-	-	-	13.7	-	-	-	-	-	-	-	-	-	-	1.5
	C-32	-	-	-	2.9	-	-	-	-	-	-	-	-	-	-	*
	M-5	-	-	-	37.1	-	-	-	-	-	-	-	-	-	-	4.1
	SJ-2	-	-	-	1.4	-	-	-	-	-	-	-	-	-	-	*
	SJ-5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
ALL-TEX	-	-	-	-	-	-	-	-	-	-	3.0	-	-	-	-	2.8
	E-2	-	-	-	-	-	*	-	-	-	1.9	-	-	-	-	6.0
	QUICKIE	-	-	-	-	-	-	-	-	-	-	*	-	-	-	2.8
BRONCO	-	-	-	-	-	-	-	-	-	-	2.6	-	-	*	-	*
CASCOT	C-13	-	-	-	-	-	-	-	-	-	10.9	-	-	1.2	-	0.9
	L-7	-	-	-	-	-	-	-	-	-	*	-	-	0.7	-	*
	2910	-	-	-	-	-	-	-	-	-	4.1	-	-	*	-	*
COKER	304	-	0.5	-	-	*	-	-	-	-	5.5	-	3.0	-	*	*
	310	-	-	*	-	-	-	-	-	-	-	-	-	*	-	*
	312	-	-	-	*	-	-	-	-	-	-	-	-	0.6	-	*
	315	-	*	-	-	-	2.7	-	*	-	8.5	-	37.7	-	*	0.7
	320	-	-	-	-	*	-	-	*	-	2.8	-	5.0	-	*	*
	500	-	-	-	-	-	-	*	-	-	-	-	-	0.9	-	*
DEL CERRO	-	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
DELTAPINE	ACALA 90	28.3	54.9	1.3	2.0	54.6	28.4	1.3	-	2.9	11.2	5.5	24.8	-	5.5	9.1
	20	2.0	4.3	10.5	*	-	13.7	21.4	14.8	-	15.6	*	26.7	1.4	3.0	6.2
	41	3.7	2.2	*	-	6.4	10.8	*	-	-	-	*	1.2	67.0	1.7	67.0
	50	31.9	2.4	47.5	*	3.2	22.0	36.7	37.0	0.5	31.3	-	9.6	45.2	4.9	14.7
	51	-	*	-	-	-	-	-	*	*	-	-	-	1.5	-	*
	61	1.9	4.7	-	*	-	-	-	-	-	-	-	-	-	-	0.5
	77	-	21.3	-	*	-	-	-	-	-	-	-	-	-	-	*
DES-	119	5.7	2.0	0.9	-	3.2	4.1	14.7	1.5	-	1.6	-	-	0.9	0.6	2.5
DUNN	120	-	*	-	-	-	-	-	-	-	-	-	-	-	1.0	-
	400	-	-	-	-	-	-	-	-	-	5.2	-	-	*	-	*
G & P	GP 1005	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-
	GP 3774	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	*
	GP 5479	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	*
GERMAIN'S	GC-356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7
	GC-510	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.7
GROWERS	6SC 25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1

Table 1. Continued

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	ALL	UNITED STATES
HOLLAND	1379	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	*
HURD'S	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
LANKART	LX-571	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1	0.5
	PR-75	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	57	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	175	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.5
	511	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	611	-	-	-	-	-	-	-	-	-	-	-	-	-	2.6	2.2
MCNAIR	220	*	*	-	-	8.8	*	0.7	-	-	6.6	-	-	-	*	*
	235	1.9	-	-	-	7.1	-	-	-	-	13.7	-	-	-	*	0.7
	308	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
NORTHUP KING	KC311	-	0.6	-	-	-	-	-	-	-	-	-	-	-	*	*
	KC380	0.8	*	-	-	0.8	-	-	-	-	2.0	*	-	-	*	*
PAYMASTER	HS 26	-	-	-	-	-	-	-	-	-	4.2	-	-	-	4.9	
	145	-	-	-	-	-	-	-	-	-	8.3	-	-	-	6.7	
	266	-	-	-	-	-	-	-	-	-	1.2	-	-	-	*	
	404	-	-	-	-	-	-	-	-	-	1.4	-	-	-	*	
	792	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
PD-	3	-	-	-	-	0.7	-	-	-	-	-	-	-	-	*	*
RANGER	BB 53	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	*
	TM 62	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	*
ROSEBUD	PR 80	-	-	-	-	-	-	-	-	-	-	-	-	-	2.6	1.2
STONEVILLE	112	*	-	-	-	-	-	-	-	-	2.3	-	-	-		
	453	1.3	-	7.9	-	-	-	-	-	-	-	-	-	-		
	506	2.4	*	25.1	-	1.5	4.7	8.3	2.7	-	-	1.8	-	-	*	
	825	18.2	*	3.9	-	1.0	3.8	8.4	36.0	-	-	1.6	-	-	3.2	2.0
SUMMIT	C-40	-	-	-	1.0	-	2.3	2.1	-	-	-	3.9	-	-	9.1	4.2
	SR-383	-	-	-	-	-	-	-	-	-	-	4.4	-	-	9.1	3.4
TIFCOT	56	*	-	-	-	-	-	-	-	-	-	-	-	-	1.4	*
ALL OTHER 3/		1.1	2.9	1.9	1.3	1.6	0.6	2.0	2.8	3.6	3.2	3.7	1.7	0.8	12.9	0.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes Florida and Kansas. 2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent. 3/ Includes all varieties accounting for less than 0.5 percent. * Less than 0.5 percent.

STATE AND COUNTY	CASCOT C-13	CASCOT L-7	CROOKED DELTAPINE ROW 1	ACALA 90	G & P GP 3774	LANKART LX-571	LANKART 611	145	PR 80	CAB-CS CABD-E	TAMCOT SP21	TAMCOT SP37	OTHER	TOTAL
TEXAS:	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
FISHER	1.1	-	-	13.5	-	0.8	-	0.7	*	77.7	-	4.5	-	15.0
HASKELL	16.4	-	-	13.2	-	5.4	18.9	21.7	-	-	2.7	-	-	21.4
HOWARD 1/	-	9.1	-	-	-	-	-	-	-	13.6	-	18.2	-	100.0
JONES	-	-	-	-	-	3.9	-	76.2	-	-	-	-	-	18.6
KNOX	8.0	-	4.7	-	22.0	-	-	1.7	32.7	7.0	-	22.3	0.9	19.9
MARTIN 1/	-	2.9	13.7	-	10.0	-	-	-	-	9.0	-	-	24.4	12.5
MITCHELL	0.6	-	-	14.2	-	27.7	*	2.2	-	8.4	-	-	5.8	4.2
RUNNELS	-	5.2	-	-	-	-	-	-	-	9.2	-	17.8	-	11.7
SCURRY 2/	-	-	-	-	-	50.2	10.2	-	-	-	-	8.5	10.4	45.0
TOM GREEN	-	-	-	1.8	38.9	5.5	1.9	6.0	1.7	1.6	4.6	1.5	12.6	*
ALL OTHER	*	*	*	1.8	38.9	5.5	*	1.9	6.0	1.7	1.6	10.3	1.4	0.6
OFFICE TOTAL	3.0	2.2	2.3	17.5	4.8	3.2	14.4	1.9	8.0	3.2	2.6	10.1	2.1	2.9
														21.8
														100.0

1/ A portion of this county is served by Lamesa Classing office. 2/ A portion of this county is served by Lubbock Classing office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	CASCOT C-13	DELTAPINE ACALA 90	G & P GP 1005	G & P GP 5479	LANKART PR-75	LANKART 175	LANKART 511	LANKART 611	LANKART HS 26	STONE- VILLE 506	TAMCOT CAB-CS	TAMCOT CABD-E	TAMCOT CD3H	OTHER	TOTAL
TEXAS:	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
OKLAHOMA:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BECKHAM	-	-	3.9	2.4	36.0	-	10.0	4.0	-	23.0	-	-	-	18.0	9.0
CADDY	17.0	-	-	4.0	-	31.9	-	-	2.1	14.3	1.0	-	5.2	-	34.5
GREER	-	-	-	-	-	-	-	-	-	7.5	25.0	30.0	-	-	42.7
HARMON	-	-	-	-	5.7	-	-	-	-	4.3	-	13.8	2.1	-	37.5
JACKSON	-	39.4	-	-	10.0	-	-	-	40.0	-	3.0	-	9.0	-	34.7
KIOWA	-	-	-	-	-	5.1	26.4	2.3	-	-	-	-	14.7	4.3	33.8
TILLMAN	31.8	-	-	-	-	0.5	1.8	*	57.2	1.8	25.0	-	-	-	15.4
WASHITA	-	-	-	-	-	11.9	-	11.9	3.6	7.2	6.4	-	16.3	2.2	30.0
ALL OTHER	6.0	-	*	-	-	-	-	-	-	-	-	-	-	3.0	31.2
TOTAL	10.9	5.5	*	2.2	6.5	8.2	2.5	13.1	2.0	8.5	3.8	7.6	1.8	1.9	24.9
TEXAS:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISCOE	-	-	-	-	-	-	-	-	-	16.7	54.4	-	6.7	2.8	9.4
COLLINGSWORTH	-	-	-	-	-	-	-	-	-	7.5	-	15.0	6.0	14.0	-
HALL	-	-	-	-	-	4.3	1.0	0.7	0.7	-	55.7	-	5.7	13.0	5.9
MOTLEY	6.3	-	-	-	-	-	-	-	-	7.3	7.3	-	1.8	-	77.3
WILLBARGER	-	4.7	25.3	-	-	-	5.3	13.2	-	4.7	4.7	-	-	-	16.8
ALL OTHER	0.8	-	-	-	-	3.7	6.9	4.1	22.1	19.1	9.3	-	18.0	*	14.3
TOTAL	0.8	0.7	3.5	3.5	2.3	3.6	3.6	9.8	10.2	21.8	0.7	10.5	2.8	9.1	17.1
OFFICE TOTAL 1/	5.7	3.0	2.0	2.9	4.3	5.9	3.1	11.4	6.2	15.4	2.2	9.1	2.3	5.6	20.9
															100.0

1/ Includes small acreages in Kansas. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 4. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ACALA C-1	ACALA C-32	ACALA C-37	ACALA M-5	ACALA SJ-2	ACALA SJ-5	GERMAIN'S ACALA GC-356	GERMAIN'S ACALA GC-510	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
CALIFORNIA:										
KERN	0.6	24.7	*	0.9	50.7	1.5	5.3	16.1	*	100.0
KINGS 1/	-	5.9	-	13.4	63.4	-	4.2	11.8	1.3	100.0
TULARE 1/	1.7	4.8	0.9	-	41.1	2.1	7.5	41.9	-	100.0
OFFICE TOTAL	0.6	15.2	*	4.6	52.9	1.1	5.4	19.6	0.4	100.0

1/ A portion of this county is served by Fresno Classing Office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 5. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	COKER 310	COKER 315	DELTA PINE ACALA 90	DELTA PINE 20	DELTA PINE 41	DELTA PINE 50	DELTA PINE 61	MCNAIR 235	NORTHUP KC 380	STONE- VILLE	STONE- VILLE	STONE- VILLE	OTHER	TOTAL		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
ALABAMA:																
CHEROKEE	-	-	3.3	-	-	20.0	-	50.4	-	-	-	8.2	13.2	4.9	100.0	
COLBERT	-	-	-	3.2	-	44.2	4.0	15.1	-	-	-	-	33.5	-	100.0	
DALLAS	-	-	96.2	-	1.6	0.6	0.6	-	-	-	-	1.0	-	-	100.0	
ELMORE	-	-	5.0	-	8.0	45.0	-	-	38.5	-	-	-	1.0	2.5	100.0	
LAUDERDALE	2.3	-	7.1	-	-	15.1	-	-	-	2.1	-	-	-	72.5	0.9	100.0
LAWRENCE	-	-	13.7	6.5	0.7	55.3	-	6.9	-	3.9	-	2.3	0.5	8.6	1.6	100.0
LIMESTONE	-	-	7.4	0.7	12.9	67.2	0.5	-	-	0.1	-	-	2.9	8.0	-	100.0
MADISON	-	-	2.6	4.2	-	32.1	-	2.1	-	-	1.1	7.9	11.1	38.9	-	100.0
ALL OTHER	0.9	1.0	58.9	1.3	11.3	8.6	4.2	3.1	*	0.6	*	1.4	1.4	6.2	1.5	100.0
OFFICE TOTAL 1/	0.5	*	27.4	2.0	6.2	31.0	1.8	5.5	1.8	0.8	*	1.3	2.6	17.4	1.0	100.0

1/ Includes small acreages in Florida. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 6. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ALL-TEX QUICKIE C-13	CASCOT			COKER DELTAPINE			DELTAPINE			DES- 119	DUNN 1047	G & P 3774	GROWERS GSC 27	TAMCOT		TAMCOT		OTHER	TOTAL
		ACALA 90	312	ACALA 90	20	50	20	CAB-CS	CAMD-E	CD3H					SP37H	OTHER				
TEXAS:																				
NUECES	1.5	2.0	2.0	5.0	—	28.2	6.4	—	7.2	2.7	32.3	2.7	8.3	1.0	0.8	0.8	100.0			
SAN PATRICIO	0.5	2.6	4.5	1.4	—	31.0	—	2.2	6.3	—	42.6	—	0.8	2.4	5.7	100.0				
ALL OTHER	—	—	1.0	3.5	23.5	38.5	4.0	—	3.7	*	15.8	—	—	—	2.0	7.7	100.0			
OFFICE TOTAL	0.8	1.8	2.7	3.3	5.0	31.4	3.4	0.8	6.1	1.1	32.8	1.1	3.6	1.8	4.2	100.0				

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 7. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTAPINE			DELTAPINE			DELTAPINE			DES- 119	DUNN 119	G & P 77	GROWERS 61	TAMCOT		TAMCOT		OTHER	TOTAL
	ACALA 90	20	41	50	61	77	50	61	77					CAB-CS	CAMD-E	CD3H	SP37H		
CALIFORNIA:																			
IMPERIAL	4.3	2.9	—	—	14.4	46.7	28.6	—	—									3.1	100.0
RIVERSIDE	91.9	4.9	—	—	—	—	2.0	*	—									0.9	100.0
TOTAL	67.3	4.3	—	—	4.0	14.5	8.2	—	—									1.5	100.0
ARIZONA:																			
YUMA	11.5	4.1	4.9	19.0	49.2	9.9	*											1.2	100.0
TOTAL	11.5	4.1	4.9	19.0	49.2	9.9	*										1.2	100.0	
OFFICE TOTAL	50.2	4.2	1.5	8.6	25.2	8.8	*										1.4	100.0	

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 8. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1989

STATE AND COUNTY	ACALA 1517 E-2	ACALA 1517-75	ACALA 1517-77	ACALA 1517-77BR	ACALA 1517-88	ACALA 1517-SR1	ACALA 1517-SR2	COKER DELTAPINE 310	ACALA 90	DES- 119	DUNN 400	NORTHROP PAYMASTER KING KC380	404	OTHER	TOTAL		
TEXAS: TOTAL	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
NEW MEXICO:																	
DONA ANA	-	52.0	1.0	-	41.0	-	-	-	-	4.0	-	-	-	2.0	100.0	100.0	
EDDY	13.0	-	32.0	28.0	-	-	-	-	11.0	-	-	10.0	-	6.0	100.0	100.0	
ALL OTHER	3.3	18.5	30.3	-	20.3	9.5	0.8	-	-	-	11.9	-	3.2	2.2	100.0	100.0	
TOTAL	5.1	20.7	16.5	8.1	26.6	5.1	*	-	3.6	-	6.4	2.5	1.7	3.1	100.0	100.0	
ARIZONA:																	
COCHISE	14.0	15.0	-	1.0	11.0	-	17.0	-	12.0	29.0	-	-	-	1.0	100.0	100.0	
ALL OTHER	2.1	-	-	-	16.6	-	-	-	-	58.7	10.0	-	-	-	12.6	100.0	100.0
TOTAL	10.0	9.9	-	0.7	12.9	-	11.2	-	7.9	39.1	3.4	-	-	-	4.9	100.0	100.0
OFFICE TOTAL	5.9	15.3	10.0	5.1	19.8	3.1	3.5	1.4	2.3	21.0	1.0	3.9	1.9	1.1	4.9	100.0	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 9. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1989

STATE AND COUNTY	COKER 304	COKER 315	DELTAPINE 320	DELTAPINE ACALA 90	DELTAPINE 50	DELTAPINE 51	DE- 119	MCNAIR 220	MCNAIR 235	NORTHROP KING KC-380	PD-3	OTHER	TOTAL				
NORTH CAROLINA:	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
CLEVELAND	-	-	4.0	-	25.7	15.7	25.7	-	-	11.4	16.5	-	-	-	100.0	100.0	
HALIFAX	4.1	0.9	-	1.7	3.3	23.3	33.3	-	-	11.7	16.7	-	-	-	100.0	100.0	
NORTHAMPTON	3.3	1.7	1.7	8.9	14.6	33.4	*	2.4	4.6	10.1	0.5	-	-	-	5.0	100.0	100.0
ALL OTHER	6.4	12.1	3.8	-	-	-	-	-	-	-	-	-	-	-	2.9	100.0	100.0
TOTAL	5.5	8.5	2.8	11.2	15.6	31.3	*	1.6	6.6	13.7	*	-	-	-	2.6	100.0	100.0
SOUTH CAROLINA:																	
LEE	6.6	44.3	19.5	20.4	-	2.3	-	-	-	2.3	-	-	4.6	-	100.0	100.0	
MARLBORO	-	41.5	-	10.0	-	31.7	-	-	-	13.3	-	-	3.5	-	100.0	100.0	
SUMPTER	-	5.2	1.3	40.7	-	3.9	-	-	-	-	-	-	48.9	-	100.0	100.0	
ALL OTHER	3.3	40.6	0.6	30.0	*	4.5	-	-	-	7.9	-	-	9.3	-	3.6	100.0	100.0
TOTAL	3.0	37.7	5.0	24.8	*	9.6	-	-	-	6.8	-	-	11.4	-	1.6	100.0	100.0
OFFICE TOTAL	4.2	24.2	4.0	18.5	7.2	19.6	*	0.7	3.0	10.0	*	6.2	-	-	2.0	100.0	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 10. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ACALA C-1	ACALA C-32	ACALA C-37	ACALA M-5	ACALA SJ-2	ACALA SJ-5	GERMAIN'S ACALA GC-356	GERMAIN'S ACALA GC-510	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
CALIFORNIA:										
FRESNO	4.7	11.1	*	*	25.2	0.7	5.4	52.8	-	100.0
KINGS 1/	*	15.1	*	*	28.9	*	11.5	43.9	-	100.0
MADERA	0.9	15.4	0.8	-	28.1	2.0	12.0	40.7	-	100.0
MERCED	*	7.8	0.7	*	13.4	4.2	7.4	65.8	-	100.0
TULARE 1/	-	27.5	-	14.0	34.4	6.5	17.5	-	-	100.0
OFFICE TOTAL	2.9	13.2	*	1.5	25.4	1.7	8.1	47.0	-	100.0

1/ A portion of this county is served by Bakersfield Classing Office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 11. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTA PINE	DELTA PINE	DES- ACALA	DES- 90	DES- 20	DES- 50	MCNAIR	STONE- VILLE	STONE- VILLE	STONE- VILLE	SUMMIT	SUMMIT	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	C-40	C-40	OTHER	Pct.
MISSISSIPPI:														
BOLIVAR	4.3	21.7	67.8	-	-	-	-	-	-	-	-	-	-	6.2
COAHOMA	1.2	14.1	14.1	32.4	-	-	-	16.2	-	-	-	-	-	100.0
HINDS	4.7	3.7	51.9	2.7	-	-	-	2.4	19.7	13.0	1.9	-	-	100.0
HOLMES	-	37.5	35.3	7.1	-	-	-	20.1	-	-	-	-	-	100.0
HUMPHREYS	-	22.6	30.2	15.1	-	-	-	3.8	13.2	15.1	-	-	-	100.0
LEFLORE	-	31.0	30.5	22.2	-	-	-	-	7.8	5.3	-	-	-	100.0
MADISON	-	20.0	20.0	-	-	-	-	-	10.0	10.0	40.0	-	-	100.0
PANOLA 1/	-	5.0	47.5	35.0	-	-	-	-	7.5	-	-	-	-	100.0
QUITMAN	16.4	0.8	36.9	18.1	-	-	-	-	5.6	3.5	3.1	-	-	15.6
SHARKEY	-	5.7	81.0	11.5	-	-	-	-	1.8	-	-	-	-	100.0
SUNFLOWER	-	10.3	42.2	22.8	0.5	-	-	-	7.2	17.0	-	-	-	100.0
TALLAHATCHIE	-	52.6	22.5	1.8	-	-	-	-	23.1	-	-	-	-	100.0
TUNICA	-	-	-	-	99.2	-	-	-	-	-	-	-	-	0.8
WASHINGTON	-	15.1	56.7	6.9	-	-	-	-	21.3	-	-	-	-	100.0
YAZOO	-	27.3	44.8	-	-	-	-	-	3.5	12.2	12.2	-	-	100.0
ALL OTHER	4.3	40.4	29.3	7.2	1.8	*	-	-	6.3	4.8	5.4	-	*	100.0
OFFICE TOTAL	1.6	23.8	35.5	16.0	*	*	*	*	9.5	5.8	3.7	2.6	-	100.0

1/ A portion of this county is served by Memphis Classing Office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 12. Hartlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	COKER 312	COKER DELTAPINE DELTAPINE DELTAPINE	50	DES- 119	6 & P GP 3774	STONE- VILLE	STONE- VILLE	STONE- VILLE	TAMCOT CAB-CS	STONE- VILLE	TAMCOT CAB-CS	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:													
CAMERON	-	-	17.1	1.1	34.7	18.3	1.4	2.5	-	0.5	1.7	*	100.0
HIDALGO	9.3	5.3	1.8	0.8	10.4	3.2	11.4	0.7	1.4	5.2	1.6	4.2	2.8
WILLACY	-	-	2.8	3.2	10.6	67.9	-	0.5	-	3.0	*	1.6	*
ALL OTHER	-	-	-	-	7.7	-	-	-	-	-	-	53.8	38.5
OFFICE TOTAL	2.8	1.6	7.1	1.7	18.4	30.4	3.9	1.2	0.4	2.8	1.1	1.8	23.0
													2.1
													1.5
													100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ARKOT 518	COKER DELTAPINE DELTAPINE DELTAPINE	50	DES- 119	STONE- VILLE	STONE- VILLE	STONE- VILLE	STONE- VILLE	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
MISSOURI:										
DUNKLIN	-	-	25.6	-	40.7	-	1.4	2.9	23.0	2.7
NEW MADRID	-	0.1	3.5	-	31.1	5.0	5.0	3.3	50.8	1.2
PEMISCOT	-	-	3.2	-	29.5	-	0.8	59.1	3.2	-
ALL OTHER	0.9	-	10.0	-	46.2	3.0	0.5	3.9	22.9	11.1
TOTAL	*	-	14.8	-	37.0	1.5	1.9	2.7	36.0	3.3
ARKANSAS:										
CRAIGHEAD	-	-	37.1	1.5	20.0	-	-	3.7	32.5	2.5
MISSISSIPPI	1.9	-	1.3	-	48.9	-	-	0.5	45.8	-
POINSETT	-	-	14.6	-	51.4	0.6	-	26.3	3.0	4.1
ALL OTHER	-	-	1.2	-	41.7	-	-	9.9	42.7	2.3
TOTAL	0.8	-	14.4	*	40.0	*	-	7.0	33.9	1.7
OFFICE TOTAL	0.5	-	14.6	*	38.5	0.8	1.0	4.9	34.9	2.5

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 14. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ACALA 15117-BR2	COKER 500	COKER DELTAPIPE		DUNN 219	DUNN 120	DUNN PAYMASTER		SUMMIT SR-383	TAMCOT		TAMCOT SP 21	TAMCOT SP 21S	OTHER	TOTAL
			5110	ACALA 90			224	HS 26		CAB CS	TAMCOT SP 21				
TEXAS:															
DAWSON	-	0.7	1.1	2.2	-	10.0	-	1.9	16.1	12.3	19.2	-	13.2	2.2	21.1
GAINES	4.8	1.8	1.7	-	11.9	1.7	-	0.8	17.2	10.1	4.8	-	19.3	9.0	16.9
LYNN 1/	-	10.5	2.7	-	-	2.7	21.8	8.2	15.4	4.2	10.5	-	2.7	2.7	100.0
MARTIN 2/	-	-	-	6.9	-	-	-	-	3.1	4.6	-	26.9	6.2	49.2	100.0
ALL OTHER	-	-	-	2.0	13.6	-	1.2	1.2	-	4.3	25.9	2.8	6.4	9.4	4.1
OFFICE TOTAL 3/	1.6	1.9	1.6	4.2	4.1	3.8	2.5	1.6	13.1	8.7	1.6	13.8	5.2	22.5	100.0

A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office.

33/ Includes small acreages in New Mexico.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties: 1898 of 1899

STATE AND COUNTY	DELTAPINE			DELTAPINE			DELTAPINE			SUMMIT			SUMMIT			OTHER			TOTAL	
	ACALA	90	20	41	50	119	453	STONE- VILLE	STONE- VILLE	STONE- VILLE	C-30	C-40	825	825	825	825	825	825	825	825
ARKANSAS:								Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ASHLEY	1.2	23.2	-	44.1	3.8	10.6	14.4	1.5	-	-	-	-	1.2	100.0	-	-	-	-	-	-
CHICOT	1.3	2.2	-	38.6	-	7.5	49.0	-	-	-	-	-	-	100.0	-	-	-	-	-	-
DESHA	-	-	-	42.0	2.0	13.3	32.8	-	-	-	-	-	1.1	8.8	-	-	-	-	-	-
JEFFERSON	11.5	0.8	-	53.3	-	4.5	20.6	3.9	1.6	1.6	2.3	1.5	100.0	-	-	-	-	-	-	-
LEE	-	4.4	-	47.1	-	2.0	8.8	32.5	-	-	-	5.2	100.0	-	-	-	-	-	-	-
LINCOLN	2.0	-	-	93.1	-	-	3.3	1.2	-	-	-	-	100.0	-	-	-	-	-	-	-
LONOKE	-	6.0	-	68.6	2.9	7.5	11.4	1.7	-	-	-	-	100.0	-	-	-	-	-	-	-
PHILLIPS	-	23.9	-	42.8	-	-	18.0	15.3	-	-	-	-	100.0	-	-	-	-	-	-	-
ST FRANCIS	-	8.4	2.4	16.9	-	68.1	-	-	3.6	-	-	-	0.6	100.0	-	-	-	-	-	-
ALL OTHER	0.6	4.9	-	62.2	3.5	5.7	18.4	4.3	-	-	-	-	*	100.0	-	-	-	-	-	-
OFFICE TOTAL	2.2	8.2	*	50.7	1.5	8.7	20.8	5.2	*	*	*	*	0.7	100.0	-	-	-	-	-	-

Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 16. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ALL-TEX Quickie	COKER 500	DUNN 120	GROWERS GSC 25	MCNAIR PAYMASTER 308	PAYMASTER HS 26	RANGER 145	ROSEBUD BB 53	SUMMIT TM 62	TAMCOT CAB-CS	TAMCOT CAMD-E	TAMCOT CD3H	OTHER	TOTAL
TEXAS:		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
BAILEY	16.9	-	-	-	-	-	68.7	-	-	3.8	-	-	10.6	100.0
CASTRO	4.0	-	-	-	-	18.0	72.0	-	-	2.0	-	-	-	100.0
COCHRAN	54.6	-	-	-	-	-	27.7	-	-	10.0	-	-	5.0	100.0
CROSBY	1.0	-	-	25.1	-	28.3	10.7	6.1	2.7	1.8	*	3.3	-	9.7
FLOYD	16.0	-	-	6.0	-	44.7	19.0	-	-	*	-	3.1	-	11.1
HALE	2.2	-	-	*	-	1.7	60.4	-	-	7.4	-	-	27.2	0.9
HOCKLEY	43.5	-	-	2.6	-	6.5	28.3	-	-	-	-	8.8	-	10.3
LAMB	7.4	-	-	27.7	-	5.7	52.5	1.5	-	-	-	0.8	1.0	100.0
LUBBOCK	11.8	2.1	-	-	-	53.5	14.2	-	-	13.2	-	1.5	-	3.7
LYNN 1/	0.5	8.6	*	-	-	15.1	6.7	3.0	-	-	57.1	-	6.5	2.3
PARMER	26.7	-	-	-	-	-	50.0	-	-	7.0	-	-	-	100.0
SWISHER	2.5	-	-	-	-	-	50.0	-	-	18.8	-	-	-	16.3
TERRY 1/	10.9	-	-	5.5	5.9	13.7	11.8	4.1	-	-	10.0	-	-	-
YOAKUM 1/	2.9	-	-	-	-	-	5.7	29.3	2.9	-	-	2.7	-	14.5
ALL OTHER	9.7	-	-	-	-	-	5.0	10.8	0.5	-	27.1	15.4	-	-
OFFICE TOTAL 2/	15.1	1.0	0.6	6.4	1.6	19.7	25.4	1.0	1.7	2.1	11.3	0.9	2.3	1.7
														9.2
														100.0

1/ A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

11 -

Table 17. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	COKER 139	COKER DELTAPINE DELTAPINE 315 ACALA 90	DESI- 50	MCNAIR 220	NORTHROP 235	MCNAIR KC 380	KING 453	PD-3 KC 380	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	TIFCOT 56	OTHER	TOTAL
GEORGIA:		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
BURKE	-	1.8	33.4	18.6	-	31.6	1.8	3.7	-	1.8	-	3.7	1.8	100.0
COLQUITT	-	-	77.8	0.8	5.6	5.7	1.5	7.1	-	-	-	1.5	-	100.0
DODDLY	-	10.8	26.9	6.4	-	1.8	13.9	10.0	-	-	8.4	4.4	1.8	100.0
ALL OTHER	*	1.5	58.0	6.5	3.7	2.0	9.0	6.7	1.0	0.9	0.5	7.1	0.5	1.6
OFFICE TOTAL	*	2.7	54.6	6.4	3.2	3.2	8.8	7.1	0.8	0.7	1.5	1.0	7.6	0.8
														100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 18. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTAPINE	DELTAPINE	DELTAPINE	DELTAPINE	DES- 119	MCNAIR 220	NORTHRUP 235	KING KC 380	STONE- VILLE 112	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	OTHER	TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TENNESSEE:															
CROCKETT	29.5	-	54.1	-	2.6	-	-	-	-	1.8	9.7	2.3	-	100.0	
FAYETTE	29.1	-	33.1	-	0.9	-	-	-	-	0.9	10.3	25.7	-	100.0	
GIBSON	52.2	-	24.4	-	-	-	3.6	-	-	1.8	8.7	9.3	-	100.0	
HARDEMAN	28.1	-	31.8	*	-	-	8.8	19.2	-	-	3.9	5.8	2.0	100.0	
HAYWOOD	30.4	-	36.8	-	1.9	-	2.4	1.2	-	6.7	7.8	12.8	-	100.0	
LAUDERDALE	12.0	-	57.0	-	-	-	-	-	-	-	31.0	-	-	100.0	
MADISON	8.0	-	60.0	-	-	-	5.0	5.0	2.0	10.0	5.0	5.0	-	100.0	
SHELBY	15.8	-	51.0	27.0	0.9	-	-	-	-	-	-	5.3	-	100.0	
TIPTON	19.1	0.8	56.5	-	-	-	1.6	0.6	-	-	10.1	10.1	3.4	100.0	
ALL OTHER	32.5	-	47.3	-	0.6	-	-	-	-	6.1	2.7	8.0	0.5	100.0	
TOTAL	26.7	*	45.2	1.5	0.9	-	1.8	1.7	*	3.2	9.1	9.1	0.5	100.0	
ARKANSAS:															
CRITTENDEN	9.6	-	66.9	-	-	-	-	-	-	4.7	9.6	4.5	4.7	100.0	
TOTAL	9.6	-	66.9	-	-	-	-	-	-	4.7	9.6	4.5	4.7	100.0	
MISSISSIPPI:															
CALHOUN 1/	5.1	-	43.9	-	4.6	-	-	-	-	-	17.6	11.4	17.4	-	100.0
MARSHALL	18.8	-	34.6	-	-	-	-	-	-	6.2	40.4	-	-	100.0	
PANOLA 1/	12.8	-	58.6	-	7.2	-	2.2	-	-	-	10.7	8.5	-	100.0	
TATE	12.5	-	54.0	-	7.0	-	-	-	-	-	-	14.0	12.5	100.0	
ALL OTHER	5.7	1.6	37.9	-	12.5	1.1	6.7	-	1.6	0.5	23.6	7.8	1.2	100.0	
TOTAL	9.4	0.8	42.7	-	8.9	0.6	4.0	-	0.9	2.0	21.2	7.7	1.7	100.0	
OFFICE TOTAL	21.6	*	45.4	1.0	3.0	*	2.3	1.2	*	2.9	12.2	8.5	1.0	100.0	

1/ A portion of this county is served by Greenwood Classing Office.

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 19. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTAPINE	DUNN 119	NORTHRUP 120	NORTHRUP KC 311	STONE- VILLE KING KC 380	STONE- VILLE KING BR110	SUN VALLEY 506	OTHER SV 46	TOTAL								
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.									
ARIZONA:																	
MARICOPA	58.2	2.7	0.7	*	-	2.3	33.1	0.7	0.5	0.5	-	*	-	2.1	-	0.5	100.0
PIMA	4.4	32.5	3.8	-	-	-	-	33.6	-	-	1.2	-	0.5	-	-	11.4	100.0
PINAL	71.0	4.1	4.9	3.6	*	0.8	13.0	-	-	-	-	-	-	-	-	0.6	100.0
ALL OTHER	53.8	8.6	-	2.3	-	4.2	26.7	3.4	-	-	-	-	-	-	-	1.1	100.0
OFFICE TOTAL	60.0	4.8	2.2	1.4	*	1.8	24.4	2.0	*	0.6	0.5	*	*	*	*	1.2	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 20. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1989

STATE AND PARISH	DELTAPINE			DELTAPINE			DELTAPINE			DESM			MCNAIR			STONE- VILLE			STONE- VILLE			STONE- VILLE			SUMMIT C-40			SUMMIT C-30			SUMMIT C-30			OTHER			TOTAL		
	ACALA	90	20	41	50	62	119	235	112	453	506	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825					
LOUISIANA:																																							
CADDO	3.1	4.0	-	58.3	2.0	19.9	-	3.6	-	8.6	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0							
CATAHOULA	9.0	20.8	2.3	40.7	-	-	-	-	-	4.2	3.1	15.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	100.0							
EAST CARROLL	53.2	5.0	-	29.8	-	-	-	-	-	1.6	2.2	2.0	1.8	4.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0							
FRANKLIN	17.7	11.9	1.5	5.4	-	13.0	-	2.8	6.2	4.8	34.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0							
MOREHOUSE	10.9	31.6	4.1	24.3	-	1.3	-	-	4.0	10.6	1.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0						
RAPIDES	23.4	24.3	19.3	13.7	-	0.5	-	-	1.9	12.4	1.7	2.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0						
RICHLAND	66.4	2.7	3.5	15.6	-	-	-	-	-	5.8	5.0	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0					
TENSAS	1.7	16.5	44.1	32.4	-	-	-	-	-	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0					
WEST CARROLL	61.5	-	11.5	-	1.4	-	-	0.7	9.4	1.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0						
ALL OTHER	19.8	19.2	23.2	26.8	-	4.7	-	-	0.7	2.2	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	100.0						
OFFICE TOTAL	28.4	13.7	10.8	22.0	*	4.1	*	0.7	4.7	3.8	8.9	*	2.3	*	2.3	*	2.3	*	2.3	*	2.3	*	2.3	*	2.3	*	2.3	*	2.3	*	2.3	100.0	100.0						

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 21. Waco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	CASCOT			DELTAPINE			DELTAPINE			DESM			G & P			G & P			LANKART			ROSEBUD			STONE- VILLE			TAMCOT			STONE- VILLE			CAB-CS			OTHER			TOTAL		
	C-13	ACALA	90	20	50	119	GP	3774	GP	5479	LX-571	PR-75	611	PR	80	506	506	825	506	825	506	825	506	825	506	825	506	825	506	825	506	825	506	825								
TEXAS:																																										
BRAZOS	-	-	-	55.4	7.3	4.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.4	100.0								
ELLIS	-	43.6	1.1	19.3	-	-	-	-	-	-	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30.0	100.0								
FT BEND	-	0.5	53.0	26.6	6.5	-	-	-	-	-	32.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.2	100.0									
HILL	-	8.0	-	13.3	-	-	-	-	-	63.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14.0	100.0								
HUNT	-	3.6	-	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.7	100.0								
NAVARRO	-	10.0	-	15.0	1.0	-	-	-	-	-	60.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14.0	100.0									
ROBERTSON	-	10.0	30.0	10.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45.0	100.0									
WILLIAMSON	15.5	16.5	1.5	20.6	-	3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.9	3.7	100.0								
ALL OTHER	6.0	8.6	14.0	5.4	3.3	7.6	5.4	-	3.0	9.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	21.3	100.0									
OFFICE TOTAL	4.8	11.7	15.8	11.9	2.2	7.0	2.2	5.8	3.1	4.7	2.7	3.7	7.2	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	14.9	100.0								

NOTE: Totals may not add due to rounding.

Table 22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1989

State	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Arizona	3.2	96.8	-	100.0
California	*	99.8	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
United States	2.0	98.0	-	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1989

Classing Offices	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Bakersfield:	-	100.0	-	100.0
Corpus Christi:	-	100.0	-	100.0
El Centro:	0.5	99.5	-	100.0
El Paso:				
Arizona	-	100.0	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
Office total 1/	-	100.0	-	100.0
Fresno:	-	100.0	-	100.0
Harlingen:	-	100.0	-	100.0
Phoenix:				
Arizona				
Office total 2/	3.7	96.3	-	100.0

1/ Includes small acreages in Waco Classing Office area.

2/ Includes small acreages in El Centro Classing Office area.

NOTE: Totals may not add due to rounding.